

L Number	Hits	Search Text	DB	Time stamp
1	221	request\$4 same (recov\$5 near4 files)	USPAT; EPO; JPO; DERWENT	2004/07/09 11:29
2	1703	(fail\$5 or corrupt\$5 or tamper\$5 or taint\$4 or infect\$5) near3 database	USPAT; EPO; JPO; DERWENT	2004/07/09 11:29
3	1703	(fail\$5 or corrupt\$5 or tamper\$5 or taint\$4 or infect\$5) near3 database	USPAT; EPO; JPO; DERWENT	2004/07/09 11:29
4	38	(recov\$5 near4 (fail\$4 near3 database)) and (request\$4 same (recov\$5 near4 database))	USPAT; EPO; JPO; DERWENT	2004/07/09 11:29
5	36	((encrypt\$4 or cipher\$4 or encipher\$4 or decipher\$4 or decrypt\$4) near4 database) and (fail\$4 near3 database)) and random\$5	USPAT; EPO; JPO; DERWENT	2004/07/09 11:30
6	221	request\$4 same (recov\$5 near4 files)	USPAT; EPO; JPO; DERWENT	2004/07/09 11:30
7	13057	encrypt\$4 near3 key	USPAT; EPO; JPO; DERWENT	2004/07/09 11:30
8	11	(request\$4 same (recov\$5 near4 database)) and ((encrypt\$4 or cipher\$4 or encipher\$4 or decipher\$4 or decrypt\$4) near4 database)	USPAT; EPO; JPO; DERWENT	2004/07/09 11:30
9	40	(recov\$5 near3 database) and (encrypt\$4 near3 (database))	USPAT; EPO; JPO; DERWENT	2004/07/09 11:31
10	695	(re-encrypt\$4) or (reencrypt\$4)	USPAT; EPO; JPO; DERWENT	2004/07/09 11:31
11	71	key and (request\$4 same (recov\$5 near4 database))	USPAT; EPO; JPO; DERWENT	2004/07/09 11:31
12	1281914	(request\$4 or access\$4)	USPAT; EPO; JPO; DERWENT	2004/07/09 11:32
13	40	((recov\$5 near3 database) and (encrypt\$4 near3 (database))) and ((request\$4 or access\$4)	USPAT; EPO; JPO; DERWENT	2004/07/09 11:32
14	35	(((((encrypt\$4 or cipher\$4 or encipher\$4 or decipher\$4 or decrypt\$4) near4 database) and (fail\$4 near3 database)) and random\$5) and (encrypt\$4 near3 key)	USPAT; EPO; JPO; DERWENT	2004/07/09 11:33
15	1413	380/277-281.ccls. or 380/284-286.ccls. or 380/46.ccls.	USPAT; EPO; JPO; DERWENT	2004/07/09 11:49
16	730	713/165.ccls. or 713/189.ccls. or 713/193.ccls.	USPAT; EPO; JPO; DERWENT	2004/07/09 11:50
17	290	705/50.ccls. or 705/59.ccls. or 705/71.ccls.	USPAT; EPO; JPO; DERWENT	2004/07/09 11:51
18	5899	707/1.ccls. or 707/9.ccls. or 707/10.ccls. or 707/200.ccls. or 707/202.ccls.	USPAT; EPO; JPO; DERWENT	2004/07/09 11:51
19	8096	(380/277-281.ccls. or 380/284-286.ccls. or 380/46.ccls.) or (713/165.ccls. or 713/189.ccls. or 713/193.ccls.) or (705/50.ccls. or 705/59.ccls. or 705/71.ccls.) or (707/1.ccls. or 707/9.ccls. or 707/10.ccls. or 707/200.ccls. or 707/202.ccls.)	USPAT; EPO; JPO; DERWENT	2004/07/09 11:51

20	26	((380/277-281.ccls. or 380/284-286.ccls. or 380/46.ccls.) or (713/165.ccls. or 713/189.ccls. or 713/193.ccls.) or (705/50.ccls. or 705/59.ccls. or 705/71.ccls.) or (707/1.ccls. or 707/9.ccls. or 707/10.ccls. or 707/200.ccls. or 707/202.ccls.)) and ((recov\$5 near4 (fail\$4 near3 database)) and (request\$4 same (recov\$5 near4 database)))	USPAT; EPO; JPO; DERWENT	2004/07/09 11:52
21	4	((380/277-281.ccls. or 380/284-286.ccls. or 380/46.ccls.) or (713/165.ccls. or 713/189.ccls. or 713/193.ccls.) or (705/50.ccls. or 705/59.ccls. or 705/71.ccls.) or (707/1.ccls. or 707/9.ccls. or 707/10.ccls. or 707/200.ccls. or 707/202.ccls.)) and ((request\$4 same (recov\$5 near4 database)) and ((encrypt\$4 or cipher\$4 or encipher\$4 or decipher\$4 or decrypt\$4) near4 database))	USPAT; EPO; JPO; DERWENT	2004/07/09 11:52
22	60	((380/277-281.ccls. or 380/284-286.ccls. or 380/46.ccls.) or (713/165.ccls. or 713/189.ccls. or 713/193.ccls.) or (705/50.ccls. or 705/59.ccls. or 705/71.ccls.) or (707/1.ccls. or 707/9.ccls. or 707/10.ccls. or 707/200.ccls. or 707/202.ccls.)) and (request\$4 same (recov\$5 near4 files))	USPAT; EPO; JPO; DERWENT	2004/07/09 11:52
23	60	((380/277-281.ccls. or 380/284-286.ccls. or 380/46.ccls.) or (713/165.ccls. or 713/189.ccls. or 713/193.ccls.) or (705/50.ccls. or 705/59.ccls. or 705/71.ccls.) or (707/1.ccls. or 707/9.ccls. or 707/10.ccls. or 707/200.ccls. or 707/202.ccls.)) and (request\$4 same (recov\$5 near4 files))	USPAT; EPO; JPO; DERWENT	2004/07/09 11:52
24	9	((380/277-281.ccls. or 380/284-286.ccls. or 380/46.ccls.) or (713/165.ccls. or 713/189.ccls. or 713/193.ccls.) or (705/50.ccls. or 705/59.ccls. or 705/71.ccls.) or (707/1.ccls. or 707/9.ccls. or 707/10.ccls. or 707/200.ccls. or 707/202.ccls.)) and (((encrypt\$4 or cipher\$4 or encipher\$4 or decipher\$4 or decrypt\$4) near4 database) and (fail\$4 near3 database)) and random\$5)	USPAT; EPO; JPO; DERWENT	2004/07/09 11:52
25	32	((380/277-281.ccls. or 380/284-286.ccls. or 380/46.ccls.) or (713/165.ccls. or 713/189.ccls. or 713/193.ccls.) or (705/50.ccls. or 705/59.ccls. or 705/71.ccls.) or (707/1.ccls. or 707/9.ccls. or 707/10.ccls. or 707/200.ccls. or 707/202.ccls.)) and (key and (request\$4 same (recov\$5 near4 database)))	USPAT; EPO; JPO; DERWENT	2004/07/09 11:52
-	946	recov\$5 near4 database	USPAT	2004/07/01 12:38

-	124	request\$4 same (recov\$5 near4 database)	USPAT	2004/07/07 13:24
-	69	key and (request\$4 same (recov\$5 near4 database))	USPAT	2004/07/09 11:31
-	172	recovery adj2 server	USPAT	2004/07/01 12:08
-	1063	fail\$4 near3 database	USPAT	2004/07/07 13:22
-	16	(recovery adj2 server) and (fail\$4 near3 database)	USPAT	2004/07/01 12:05
-	23014	encrypt\$4 or cipher\$4 or encipher\$4 or decipher\$4 or decrypt\$4	USPAT	2004/07/01 12:33
-	5	((recovery adj2 server) and (fail\$4 near3 database)) and (encrypt\$4 or cipher\$4 or encipher\$4 or decipher\$4 or decrypt\$4)	USPAT	2004/07/01 12:05
-	24	recovery adj2 server near5 request\$4	USPAT	2004/07/01 12:33
-	702	(encrypt\$4 or cipher\$4 or encipher\$4 or decipher\$4 or decrypt\$4) near4 database	USPAT	2004/07/01 12:34
-	44	((encrypt\$4 or cipher\$4 or encipher\$4 or decipher\$4 or decrypt\$4) near4 database) and (fail\$4 near3 database)	USPAT	2004/07/08 12:35
-	10	(request\$4 same (recov\$5 near4 database)) and ((encrypt\$4 or cipher\$4 or encipher\$4 or decipher\$4 or decrypt\$4) near4 database)	USPAT	2004/07/09 11:30
-	247	corrupt\$4 near3 database	USPAT	2004/07/01 12:47
-	69	(recov\$5 near4 database) and (corrupt\$4 near3 database)	USPAT	2004/07/01 12:48
-	20	((encrypt\$4 or cipher\$4 or encipher\$4 or decipher\$4 or decrypt\$4) near4 database) and ((recov\$5 near4 database) and (corrupt\$4 near3 database))	USPAT	2004/07/07 09:58
-	712796	(request\$4 or access\$4)	USPAT	2004/07/09 11:32
-	1307	(fail\$5 or corrupt\$5 or tamper\$5 or taint\$4 or infect\$5) near3 database	USPAT	2004/07/09 11:29
-	23089	encrypt\$4 or cipher\$4 or encipher\$4 or decrypt\$4 or decipher\$4	USPAT	2004/07/07 10:09
-	13	((request\$4 or access\$4)) near5	USPAT	2004/07/07 10:10
-	108	((fail\$5 or corrupt\$5 or tamper\$5 or taint\$4 or infect\$5) near3 database) and (encrypt\$4 or cipher\$4 or encipher\$4 or decrypt\$4 or decipher\$4)	USPAT	2004/07/07 10:16
-	830	((fail\$5 or corrupt\$5 or tamper\$5 or taint\$4 or infect\$5) near3 database) recov\$5 near3 database	USPAT	2004/07/07 10:16
-	21	(recov\$5 near3 database) near5 request\$5	USPAT	2004/07/07 10:23
-	494	encrypt\$4 near3 (database)	USPAT	2004/07/07 10:26
-	39	(recov\$5 near3 database) and (encrypt\$4 near3 (database))	USPAT	2004/07/09 11:31
-	0	(reencrypt\$4 or re-encrypt\$4) near4	USPAT	2004/07/07 10:48
-	1	((fail\$5 or corrupt\$5 or tamper\$5 or taint\$4 or infect\$5) near3 database) (reencrypt\$4 or re-encrypt\$4) same	USPAT	2004/07/07 10:49
-	17	((fail\$5 or corrupt\$5 or tamper\$5 or taint\$4 or infect\$5) near3 database) (reencrypt\$4 or re-encrypt\$4) near3 database	USPAT	2004/07/07 10:49
-	1067	fail\$4 near3 database	USPAT	2004/07/07 13:22
-	224	recov\$5 same (fail\$4 near3 database)	USPAT	2004/07/07 13:23
-	138	recov\$5 near5 (fail\$4 near3 database)	USPAT	2004/07/07 13:23

-	136	recov\$5 near4 (fail\$4 near3 database)	USPAT	2004/07/07 13:28
-	125	request\$4 same (recov\$5 near4 database)	USPAT	2004/07/07 14:05
-	34	(recov\$5 near4 (fail\$4 near3 database)) and (request\$4 same (recov\$5 near4 database))	USPAT	2004/07/09 11:29
-	10	authentikat\$5 and (recov\$5 near4 (fail\$4 near3 database))	USPAT	2004/07/07 13:47
-	37497	(permission or autoriz\$4)	USPAT	2004/07/07 13:48
-	12	(request\$4 same (recov\$5 near4 database)) same ((permission or autoriz\$4))	USPAT	2004/07/07 13:48
-	167	request\$4 same (recov\$5 near4 files)	USPAT	2004/07/09 11:30
-	13	((permission or autoriz\$4)) same (request\$4 same (recov\$5 near4 files))	USPAT	2004/07/07 14:04
-	3628	(fail\$4 or corrupt\$5) near4 (database or data-base or files)	USPAT	2004/07/07 14:05
-	30	request\$4 same (recov\$5 near4 ((fail\$4 or corrupt\$5) near4 (database or data-base or files)))	USPAT	2004/07/07 14:09
-	3	(request\$4 same (recov\$5 near4 ((fail\$4 or corrupt\$5) near4 (database or data-base or files)))) and authentikat\$5	USPAT	2004/07/07 14:36
-	526	(re-encrypt\$4) or (reencrypt\$4)	USPAT	2004/07/09 11:31
-	37	((re-encrypt\$4) or (reencrypt\$4)) near4 (database or files)	USPAT	2004/07/08 08:09
-	44	((encrypt\$4 or cipher\$4 or encipher\$4 or decipher\$4 or decrypt\$4) near4 database) and (fail\$4 near3 database)	USPAT	2004/07/08 12:36
-	36	((encrypt\$4 or cipher\$4 or encipher\$4 or decipher\$4 or decrypt\$4) near4 database) and (fail\$4 near3 database)) and random\$5	USPAT	2004/07/09 11:30
-	36	((encrypt\$4 or cipher\$4 or encipher\$4 or decipher\$4 or decrypt\$4) near4 database) and (fail\$4 near3 database)) and random\$5	USPAT	2004/07/08 15:29
-	6668	encrypt\$4 near3 key	USPAT	2004/07/09 11:30
-	35	((((encrypt\$4 or cipher\$4 or encipher\$4 or decipher\$4 or decrypt\$4) near4 database) and (fail\$4 near3 database)) and random\$5) and (encrypt\$4 near3 key)	USPAT	2004/07/09 11:32


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about **695,000** for **recovery server and key database**. (0.41 seconds)

Windows Server 2003 PKI Key Archival and Recovery

... and centralized private **key** archival and **recovery** in the ... KMS in an Exchange 2000 **Server** environment and ... 2003, you must migrate the KMS **key** archival **database** to ...

www.winnetmag.com/Article/ArticleID/41281/41281.html -

[Similar pages](#)

Windows Server 2003 PKI Key Archival and Recovery

... To export the **recovery** data from the CA **database**, the KRA ... GUI, the KRA must use the Microsoft Windows **Server** 2003 Resource Kit's **Key Recovery** tool (krt ...

www.winnetmag.com/Windows/Articles/ArticleID/41281/pg/2/2.html - [Similar pages](#)

[[More results from www.winnetmag.com](#)]

Access password recovery Key - for databases, MDB files and user ...

... Internet Explorer **Key** and Outlook Express **Key** now work on Windows 2003 **Server**.

Passware now offers two versions of its password **recovery** software pack ...

www.lostpassword.com/access.htm - 19k - [Cached](#) - [Similar pages](#)

Recover the master database in SQL Server

... of a disaster, you can add these techniques to your disaster **recovery** plan. ... Linux or Windows based web **server**? ... Changing the product **key** on Windows XP 6/7/04. ...

techrepublic.com.com/5100-6268-5025441.html - 41k - [Cached](#) - [Similar pages](#)

Contents

... Client: MQI Channel Directory. TPF MQSeries **Server**; TPF MQSeries ... How the TPF **Recovery** Log Is Used by TPF ... Using Cursors with Alternate **Key** Paths; Cursor Positioning; ...

publib.boulder.ibm.com/infocenter/tpfhhelp/topic/com.ibm.tpf.doc.4.1-PUT18/gtpa2/gtpa2m02.htm - 46k - [Cached](#) - [Similar pages](#)

Learn About SQL Server Disaster Recovery from Greg Robidoux

... for keywords on search engines will reveal a lot of information specific to SQL **Server** as well as ... These two areas are **key** to Disaster **Recovery**, but also to ...

www.sql-server-performance.com/greg_robidoux_interview.asp - 33k - [Cached](#) - [Similar pages](#)

Exchange Server Data Recovery of corrupted Exchange error database

... JET_errKeyDuplicate Illegal duplicate **key**" is another ... 4. The Exchange **Server** Jet Engine is corrupt. Running **recovery** tools and **database** repair tools will only ...

www.datarecoveryclinic.com/Exchange_server_data_recovery.htm - 16k - [Cached](#) - [Similar pages](#)

Exchange Server Data Recovery repair of corrupted priv priv1 db ...

... every kind of Jet error such as: "JET_errRecordNotFound, the **key** was not ... can not mount the information store then you need Exchange **server** data **recovery**! ...

Sponsored Links

Are Your Kids Sober

Private in home internet program using advanced technology.

<http://www.drjoechampion.com>

Computer Affiliates

Innovative products from great suppliers!

www.worryfreeshopping.com

Tears and Healing - Book

Learn how to Detach from your Borderline partner.


tearsandhealing.com/

Data Recovery Answers

Easy answers to hard questions on the topic of Data **Recovery**!

TechnologyDefined.com/Data-Recovery

[See your message here...](#)


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

 Results 1 - 10 of about **296,000** for **recovery server and encryption**. (0.86 seconds)

283223 - Recovery of Encrypted Files on a Server

... Remote **encryption** of files on a **server** introduces new challenges in disaster **recovery** that require administrators to take steps to preserve the ability of ...

support.microsoft.com/default.aspx?scid=kb;en-us;283223&sd=tech - 13k -

[Cached](#) - [Similar pages](#)

Sponsored Links

Encryption Papers

Free White Papers and Articles

No registration required

www.SecurityDocs.com

143475 - Windows NT System Key Permits Strong Encryption of the ...

... If the desired **recovery** system configuration is Windows NT **Server 4.0** with the ... the System Key hotfix, and you have not enabled strong **encryption**, if you ...

support.microsoft.com/default.aspx?scid=kb;en-us;143475&sd=tech

- 27k - [Cached](#) - [Similar pages](#)

[[More results from support.microsoft.com](#)]

Anonymous Internet

With our service you can keep all online activities anonymous. Easy
www.findnot.com

[See your message here...](#)

NovaStor - System Backup, Data Restore & Disaster Recovery ...

... Open File Management. · NovaBACKUP **Server** Edition. · TapeCopy. ... Small & Micro Business. Backup and disaster **recovery** for businesses from 1 to 20 people. ...

www.novastor.com/ - 31k - Jul 7, 2004 - [Cached](#) - [Similar pages](#)

How to Break Netscape's Server Key Encryption from University of ...

... The Netscape **server** key format is very susceptible to both a dictionary attack and to keystream **recovery**. ... that PKCS #5 password-based **encryption** be used ...

uk.builder.com/whitepapers/0,39026692,60027218p-39000942q,00.htm - 10k -

[Cached](#) - [Similar pages](#)

Relevant Technologies: The CyberAngel: Laptop Recovery and File ...

... Figure 1. Selecting Your **Encryption** Algorithm During Installation After the CyberAngel ... the Cyberangel initiated a call back to the **recovery server** to alert it ...

www.relevanttechnologies.com/cyber_110403.asp - 23k - [Cached](#) - [Similar pages](#)

Server Data Recovery, Server Data Recovery Software, Server Data ...

Upgrade Unistal's Anti Virus S/w on Line. How to Upgrade UAV? 1. UAV DOS

diskette/Rescue Disk/Emergency Disk upgrade. Please download ...

www.unistal.com/online_upgd.php - 15k - Jul 8, 2004 - [Cached](#) - [Similar pages](#)

WinMagic Hard Disk Encryption - The most secure and versatile disk ...

... secure Web-based password **recovery** procedures, with an ... WinMagic equips its Disk

Encryption products with ... Protection: SecureDoc Enterprise **Server** in conjunction ...

www.winmagic.com/product_info/sdent/index.asp - 21k - [Cached](#) - [Similar pages](#)

Cryptography & Encryption

... number called the FEK (File **Encryption** Key) using ... The LSAS (Local Security

Authority **Server**) decrypts files ... private key or decrypting the **recovery** agent's FEK ...

www.wilsonmar.com/1crypto.htm - 44k - [Cached](#) - [Similar pages](#)

Email Recovery Tool Exchange Outlook E-mail Free Data Recovery ...

... used to **recover** more than 75,000 hard drives, **servers**, mp3 players ... **Recovery**

Software, Email Hoax Virus, Email **Recovery** Tool File **Encryption** Tools Freeware ...

www.all-internet-security.com/email_recovery_tool.html - 21k - Jul 8, 2004 -
[Cached](#) - [Similar pages](#)

Web Server Certificates from DigiCert™ Digital Certificates SSL ...
... other security applications like **encryption** for Internet ... authentication with SSL secure
server certificates which ... Recovery Procedures The required actions to ...
www.digicert.com/ssl-certificates/r.htm - 14k - [Cached](#) - [Similar pages](#)

Google

Result Page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

recovery server and encryption

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about **1,550,000** for **database recovery and key database**. (0.41 seconds)

Access password **recovery Key** - for **databases**, MDB files and user ...

Sponsored Links

Access **Key** is a program to **recover** passwords for MS Access **databases**. Features. All versions of MS Access are supported (including ...
www.lostpassword.com/access.htm - 19k - [Cached](#) - [Similar pages](#)

Database Recovery

Address Critical Backup & Recovery Issues Facing Your Company Today.
ca.com/db

[See your message here...](#)

IMS Database Recovery Facility for z/OS, V2.1 - Add-on Overview ...

... Service for z/OS, contains all the features and functions of that product, and adds several **key** features including IMS **Database Recovery** Facility initiation by ...
www-306.ibm.com/software/data/db2imstools/imstools/imsonlinerecov.html - 22k - [Cached](#) - [Similar pages](#)

DB2 for Linux, OS/2, Windows and UNIX Technical Support

... Log Archiving Identity Column Support Larger Index **Key** Externalized Savepoint ... Enhancements Encrypting and Decrypting String Data **Database Recovery** Suspended I ...
www-306.ibm.com/cgi-bin/db2www/data/db2/udb/winoss2unix/support/document.d2w/report?fn=db2q0e71frm3toc.htm - 53k - [Cached](#) - [Similar pages](#)
[\[More results from www-306.ibm.com \]](#)

Microsoft Access Programmers & Consultants of **Database** Design ...

Microsoft Access Consultants MS Access **Database** Programmers. Maryland Access developers: programmers of custom **database** applications. ...
www.blueclaw-db.com/ - 22k - Jul 7, 2004 - [Cached](#) - [Similar pages](#)

Access Password **Recovery Key** free download by Passware: Easy to ...

... Password **recovery** tool for MS Access **Databases** (.MDB), Workgroup ... Security problems maintaining a **database**? ... Access **Key** solves those problems in seconds. ...
www.softpile.com/Utilities/Password_Recovery/Review_05355_index.html - 21k - [Cached](#) - [Similar pages](#)

Access Password **Recovery Key** free download by Passware: Access ...

... Description: Access **Key** is a program to **recover** passwords for MS Access **databases**. The program features state of the art password ...
www.softpile.com/Utilities/Password_Recovery/Review_18099_index.html - 21k - [Cached](#) - [Similar pages](#)
[\[More results from www.softpile.com \]](#)

InfoStor - Performing Oracle and SQL Server **database recovery**

... to perform **recovery**. The **key** to this strategy is using a comprehensive availability approach. By implementing a highly available **database** infrastructure, the ...
is.pennnet.com/Articles/Article_Display.cfm?Section=OnlineArticles&SubSection=Display&PUBLICATION... - [Similar pages](#)

Microsoft Exchange 2000 Server **Database Recovery**

... delete the Restore in Progress **key** before hard **recovery** finishes, and without the presence of that **key**, the **database** service runs normal soft **recovery**. ...
www.microsoft.com/technet/prodtechnol/exchange/2000/support/dbrecovr.mspx - 101k -

[Cached](#) - [Similar pages](#)

Windows Server 2003 PKI Key Archival and Recovery

... For more information about this process, see the sidebar "Migrating the Exchange KMS Database.") Windows 2003 key archival and recovery build on the KMS concept ...

www.winnetmag.com/Article/ArticleID/41281/41281.html - [Similar pages](#)

RMAN Commands , 45 of 59

... TO INCARNATION , then the connection to the target database and recovery catalog fails due to ... Specify the primary key of the DBINC record for the database ...

www.cise.ufl.edu/help/database/oracle-docs/server.920/a96565/rcmsynta45.htm - 15k -

[Cached](#) - [Similar pages](#)


Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web

Results 1 - 10 of about **714** for **database recovery and encryption or ciphering**. (0.37 seconds)

Freeware World Team

... shreds) sensitive and private files beyond **recovery**. ... decryption program that uses Secret-Key **Encryption**. ... onwer domain" in the registration domain **database**. ...
www.all4you.dk/FreewareWorld/links.php?page=4&cat=006 - 65k - Jul 8, 2004 - [Cached](#) - [Similar pages](#)

[PDF] Microsoft PowerPoint - Presentation Security in GSM GPRS 3GPP ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 ... AuC) **Database** of identification and authentication **Database** of identification ... Negotiation of a weak **encryption** algorithm Break A5/2 to **recover** Kc, then ...
lasecwww.epfl.ch/securityprotocols/gsm/Presentation_Security_in_GSM_GPRS_3GPP_Tahar_Ktari_David_Mayor.pdf - [Similar pages](#)

Security Interface for Berkeley DB

... their data for additional error detection (without **encryption/decryption**).
 ... the password be logged in order for **recovery** to be able to restore the **database**. ...
www.opensource.apple.com/darwinsource/10.3/BerkeleyDB-6/db/crypto/crypto.html - 39k - [Cached](#) - [Similar pages](#)

[RTF] Seminar on Data Management for Mobile Computing

File Format: Rich Text Format - [View as HTML](#)
 ... user data compression, header compression and **encryption** algorithms may ... Selected **ciphering** algorithm. ... Indicates if HLR or VLR is performing **database recovery**. ...
www.cs.jyu.fi/~veijalai/mobilecomputing99/katrisipilainen220499.rtf - [Similar pages](#)

EP patents matching keyword 'encryption'

... EP101636, Method of synchronising **encryption** and decryption during the ...
 EP1145151, Method and system for **database-driven**, scalable ... EP891055, Key **recovery** system. ...
gauss.bacon.su.se/indices/keyword/80/ - 78k - [Cached](#) - [Similar pages](#)

NHS Information Authority - Implementing National Standard ...

... **Encryption** and digital stamping software which has been provided ... a revocation is requested via the Tracking **Database**. ... is stolen and a disaster **recovery** plan is ...
www.nhsia.nhs.uk/pathology/pages/crypto_overview.asp - 35k - Jul 8, 2004 - [Cached](#) - [Similar pages](#)

Privateline.Com: GSM/PCS by John Scourias with comments by Tom ...

... engaged in a Call; Current cell; **Encryption** keys. ... Therefore, the **database** is updated as location updating ... off between signalling traffic and speed of **recovery**. ...
www.privateline.com/PCS/GSM11.html - 34k - [Cached](#) - [Similar pages](#)

Torry's Delphi Pages

... BLOB data Compression;; Supports **database Encryption**, and CRC32 ... compact string

Sponsored Links

Database Encryption Tool

Alpha Five - **database** application. Fast, easy, powerful. Free trial.
alphasoftware.com/

Database Encryption

Find Security News, Product Info
 The Latest on Data Security Here
security.eweek.com

Encryption Papers


Free White Papers and Articles
 No registration required
www.SecurityDocs.com

Anonymous Internet

With our service you can keep all online activities anonymous. Easy
www.findnot.com

[See your message here...](#)

... or transferred to any other **database** or retrieval ... Experimental verification of chaotic **encryption** of audio ... an inverse mapping is exploited for data **recovery**. ...
www.spie.org/web/abstracts/2600/2612.html - 25k - [Cached](#) - [Similar pages](#)



database recovery and encryption Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google